

Agricultural Analytical Services Laboratory The Pennsylvania State University 111 Ag Analytical Svcs Lab University Park, PA 16802

(814) 863-0841 aaslab@psu.edu www.aasl.psu.edu

SOIL TES	ST REPORT FC	R:		ADDITIONAL COPY TO:			
LI	NDA J EVANSV	WOOD					
44	IRON MILL GA	ARTH					
HU	UNT VALLEY 1	MD 21030					
DATE	LAB #	SERIAL #	COUNTY	ACRES	FIELD ID	SOIL	
02/27/2024	S24-07064		MD-Baltimore		Garage Garden		

SOIL NUTRIE	NT LEVELS	Below Optimum	Optimum	Above Optimum
Soil pH				
Phosphate	$(\mathbf{P}_2\mathbf{O}_5)$			
Potash	(K ₂ O)			
Magnesium	(MgO)			
Calcium	(CaO)			

RECOMMENDATIONS FOR: Landscape, Maint, pH 5.5

Limestone, Calcium And Magnesium Recommendations

Apply the following quantities of limestone, epsom salts and/or gypsum to the soil to correct soil pH, calcium and magnesium levels.

Calcitic Limestone: (0-3 % Mg)	NONE
Magnesium:	NONE
Gypsum (CaSO ₄):	NONE

Nitrogen, Phosphate And Potash Recommendations

Apply 1.5 lbs per 100 square feet of 10-10-10.

MESSAGES

The above lime and fertilizer recommendations are for this soil sample and this season only. Nitrogen, phosphate and potash recommendations are for fertilizers containing specific ratios of nitrogen (N), phosphate (P2O5) and potash (K2O). As an example 5-10-10 contains 5 % N, 10 % P2O5, and 10 % K2O. If fertilizers with the ratio(s) shown are not available, contact your local garden center or fertilizer supplier for the appropriate substitution.

pH is high. Use sulfur (see Table on back of report) to lower pH to optimum level of 5.5

LABORATORY RESULTS:								Optional Tests:				
¹ pH	² P lb/A	Exchangeable Cations (meq/100g)					% Saturation of the CEC		Organic	Nitrate-N	Soluble salts	
		³ Acidity	² K	² Mg	² Ca	⁴ CEC	K	Mg	Ca	Matter %	ppm	mmhos/cm
6.7	316	2.2	0.5	2.9	17.5	20.6	2.5	14.1	72.7			
Test Methods: ¹ 1:1 soil:water pH, ² Mehlich 3 (ICP), ³ Mehlich Buffer pH, ⁴ Summation of Cations												

The high calcium level in this sample indicates the probable presence of soluble calcium. Therefore the CEC and the percent saturations were calculated using a maximum exchangeable calcium level of 15 meq/100 g.

COMMENTS

1. To be most effective, all recommended limestone and/or fertilizer should be incorporated 6 to 8 inches into the soil prior to planting. If plants or crop is established, apply recommended materials to the surface and water area well.

Use a high quality agricultural ground limestone product to meet the limestone recommendation on this report. Manufacturers of agricultural ground limestone products provide a number called the calcium carbonate equivalent, or CCE, on the label. CCEs with high numerical values (close to 100 or above) indicate a pure lime source (greater ability to neutralize soil acidity). The amount of lime recommended on this report is based on an agricultural ground limestone with a CCE of 100. If your lime source is close to or equal to 100, you don't need to adjust the recommended amount. In the event that you use a lime source with a CCE well below 100, use the following formula to adjust the required amount.

Actual liming material required= <u>(Soil test recommendation in lbs of lime/1000 square feet)</u> x 100 CCE of liming material

Example Only: Soil Test Recommendation: 5 lbs limestone /100 square feet CCE on label: 70 percent Actual liming material required = (5 lb of limestone/100 square feet) x 100 70 = 7 lbs liming material/100 square feet

- 2. If 11 to 20 pounds of limestone are recommended, divide the amount by two and apply in two applications six months apart. If 21 or more pounds are recommended, divide the amount by three and make three applications at six month intervals.
- 3. If 3 or more pounds of MgSO4 (Epsom salts) are recommended, divide the amount by two and make separate applications at four month intervals. If an alternative magnesium source is used, apply an amount equal to the equivalent of 10.5% Mg in MgSO4; ONLY ONE APPLICATION should be needed.
- 4. Lime and fertilizer recommended in pounds of material per each 100 square feet of area to be treated. Use the following conversions to convert from pounds per 100 square feet to other units or area sizes:

Pounds per 100 sq. ft. x 10 = pounds per 1000 sq. ft. Pounds per 100 sq. ft. x 435 = pounds per acre:

- From То Sulfur From То Sulfur Current Optimum (lb/100 sq ft) Current Optimum (lb/100 sq ft) Soil pH Soil pH Soil pH Soil pH 8.0 7.5 0.50 7.0 6.5 0.75 7.0 6.0 1.25 1.00 6.5 2.00 5.5 2.50 6.0 3.00 5.5 4.00 7.5 7.0 6.5 6.0 1.00 0.75 6.5 1.25 5.5 1.75 2.50 6.0 6.0 5.5 1.50 5.5 3.50
- 5. Amount of sulfur needed to lower soil pH to optimum level. (See Laboratory Results on front of report for soil pH)

Apply sulfur at the above rates for a loam soil. On heavier soil (silt loams) use one third more than the amount shown. On lighter soils (sandy loams) use one-half of the amounts shown. If aluminum or ferrous sulfate is used to lower pH, multiply the above amounts by 2.5. Follow the same suggestions as above for soil types. If 4 or more pounds are needed, divide the amount in half and make two applications six months apart.

6. There is no reliable test for evaluating the amount of nitrogen (N) in soils that is available to crops over the growing season. The N recommended is based on the actual N that needs to be supplied annually to ensure optimum plant growth.